


SQRT Function

Computes the square root of the input parameter. Input value can be a Decimal or Integer literal or a reference to a column containing numeric values. All generated values are non-negative.


Basic Usage

Numeric literal example:

 Unknown macro: 'd-lang-syntax'


Output: Returns the square root of 25, which is 5.

Column reference example:

 Unknown macro: 'd-lang-syntax'

Output: Returns the square root of the values of the `MyValue` column.

Syntax

 Unknown macro: 'd-lang-syntax'

Argument	Required?	Data Type	Description
numeric_value	Y	string, decimal, or integer	Name of column or Decimal or Integer literal to apply to the function

For more information on syntax standards, see *Language Documentation Syntax Notes*.

numeric_value

Name of the column or numeric literal whose values are used to compute the square root.

NOTE: Negative input values generate null output values.

- Missing input values generate missing results.
- Literal numeric values should not be quoted.
- Multiple columns and wildcards are not supported.

Usage Notes:

Required?	Data Type	Example Value
Yes	String (column reference) or Integer or Decimal literal	25

Examples

Example - Pythagorean Theorem

The following example demonstrates how the `POW` and `SQRT` functions work together to compute the hypotenuse of a right triangle using the Pythagorean theorem.

- `POW` - X^Y . In this case, 10 to the power of the previous one. See *POW Function*.
- `SQRT` - computes the square root of the input value. See *SQRT Function*.

The Pythagorean theorem states that in a right triangle the length of each side (x,y) and of the hypotenuse (z) can be represented as the following:

$$z^2 = x^2 + y^2$$

Therefore, the length of z can be expressed as the following:

$$z = \text{sqrt}(x^2 + y^2)$$

Source:

The dataset below contains values for x and y:

X	Y
3	4
4	9
8	10
30	40

Transformation:

You can use the following transformation to generate values for z^2 .

NOTE: Do not add this step to your recipe right now.

Transformation Name	New formula
Parameter: Formula type	Single row formula
Parameter: Formula	<code>(POW(x,2) + POW(y,2))</code>
Parameter: New column name	'Z'

You can see how column Z is generated as the sum of squares of the other two columns. Now, edit the transformation to wrap the value computation in a `SQRT` function:

Transformation Name	New formula
Parameter: Formula type	Single row formula
Parameter: Formula	<code>SQRT((POW(x,2) + POW(y,2)))</code>
Parameter: New column name	'Z'

Results:

X	Y	Z
3	4	5
4	9	9.848857801796104
8	10	12.806248474865697
30	40	50