

API WrangledDatasets Post AddToFlow v4

This is the latest version of the APIs.

Contents:

- *Required Permissions*
- *Request*
- *Response*
- *Reference*

Add the specified wrangled dataset to a flow as a reference. A **reference** is a link from one flow to the output of a wrangled dataset that is sourced from another flow.

Tip: In the Trifacta application UI, the `WrangledDataset` object is called a `recipe`.

NOTE: Datasets can be added to flows based on the permissions of the access token used on this endpoint. Datasets can be added to flows that are shared by the user.

Version: v4

Required Permissions

NOTE: Each request to the Trifacta® platform must include authentication credentials. See *API Authentication*.

Request

Request Type: POST

Endpoint:

```
/v4/wrangledDatasets/<id>/addToFlow
```

where:

Parameter	Description
<id>	Internal identifier for the wrangled dataset

Request URI - Example:

```
/v4/wrangledDatasets/15/addToFlow
```

Request Body:

```
{
  "flow": {
    "id": 27
  }
}
```

Response

Response Status Code - Success: 201 - Created

Response Body:

```
{
  "id": 43,
  "wrangled": false,
  "updatedAt": "2019-01-26T01:09:38.022Z",
  "createdAt": "2019-01-26T01:09:38.022Z",
  "referenceInfo": null,
  "activeSample": null,
  "creator": {
    "id": 1
  },
  "updater": {
    "id": 1
  },
  "recipe": null,
  "referencedFlowNode": {
    "id": 27
  },
  "flow": {
    "id": 15
  }
}
```

Reference

Property	Description
id	Internal identifier for the new wrangled dataset.
wrangled	If <code>true</code> , the dataset is a wrangled dataset. If <code>false</code> , the dataset is a reference dataset.
updatedAt	Timestamp for when the dataset was updated.
createdAt	Timestamp for when the dataset was created.
referenceInfo	If the wrangled dataset has a reference object defined for it, its information is listed here.
activeSample	Internal identifier for the currently active sample for the dataset. If <code>null</code> , there is no currently active sample for the dataset.
creator.id	Internal identifier of the user who created the flow.
updater.id	Internal identifier of the user who performed the update.
recipe	Internal identifier for the recipe associated with the dataset in its new flow. If <code>null</code> , the dataset has not been wrangled in the Transformer page.
referencedFlowNode.id	Internal identifier of the original dataset's internal identifier.

flow.Id	Internal identifier of the flow that contains this dataset
---------	--