

API Session Get


Contents:

- *Required Permissions*
 - *Request*
 - *Response*
 - *Reference*
-

Get the specified session information.

Version: all

Required Permissions

 **NOTE:** Each request to the Trifacta® platform must include authentication credentials. See *API Authentication*.

Request

Request Type: GET

Endpoint:

```
/v2/session
```

Request Body:

Empty.

Response

Response Status Code - Success: 200 - OK

Response Body Example:

```

{
  "outputHomeDir": "/trifacta/queryResults/admin@trifacta.local",
  "id": 1,
  "email": "me@example.com",
  "name": "My Account",
  "ssoPrincipal": null,
  "hadoopPrincipal": null,
  "cpPrincipal": null,
  "isAdmin": true,
  "isDisabled": false,
  "forcePasswordChange": false,
  "lastLoginTime": "2018-01-24T21:03:54.813Z",
  "deleted_at": null,
  "createdAt": "2018-01-24T08:29:11.248Z",
  "updatedAt": "2018-01-24T21:03:54.813Z",
  "awsconfigId": null,
  "roles": [
    {
      "id": 1,
      "role": "dataAdmin",
      "createdAt": "2018-01-24T08:28:34.369Z",
      "updatedAt": "2018-01-24T08:28:34.369Z",
      "peopleworkspaces": {
        "workspaceId": 1,
        "personId": 1,
        "roleId": 1,
        "createdAt": "2018-01-24T08:29:11.360Z",
        "updatedAt": "2018-01-24T08:29:11.360Z"
      }
    },
    {
      "id": 2,
      "role": "wrangler",
      "createdAt": "2018-01-24T08:28:34.369Z",
      "updatedAt": "2018-01-24T08:28:34.369Z",
      "peopleworkspaces": {
        "workspaceId": 1,
        "personId": 1,
        "roleId": 2,
        "createdAt": "2018-01-24T08:29:11.362Z",
        "updatedAt": "2018-01-24T08:29:11.362Z"
      }
    },
    {
      "id": 4,
      "role": "admin",
      "createdAt": "2018-01-24T08:28:39.321Z",
      "updatedAt": "2018-01-24T08:28:39.321Z",
      "peopleworkspaces": {
        "workspaceId": 1,
        "personId": 1,
        "roleId": 4,
        "createdAt": "2018-01-24T08:29:11.362Z",
        "updatedAt": "2018-01-24T08:29:11.362Z"
      }
    }
  ]
}


```

Reference

User information:

For more information on user properties, see *API People Get v3*.

Roles:

Property	Description
id	Internal identifier for the role
role	<p>User-friendly name of the role. Values:</p> <ul style="list-style-type: none"> • dataAdmin • Wrangler <div style="border: 1px solid #ccc; border-radius: 10px; padding: 5px; margin-top: 10px;"> <p> NOTE: All valid user accounts must have the Wrangler role.</p> </div>
createdAt	Timestamp for when the role was added to the user account.
updatedAt	Timestamp for when the role was last updated to the user account.
peopleworkspaces.workspaceId	Internal identifier of the workspace to which the role applies.
peopleworkspaces.personId	Internal identifier for the user within the workspace.
peopleworkspaces.roleId	Internal identifier for this role within the workspace.
peopleworkspaces.createdAt	Timestamp for when the workspace was created.
peopleworkspaces..updatedAt	Timestamp for when the workspace was last updated.