

API WrangledDatasets Get List v3



As of Release 6.4, the v3 APIs are End of Life (EOL). Before using this release or a later one, you should migrate to using the latest available API version. For more information, see *API Version Support Matrix*. Latest version of this endpoint: *API WrangledDatasets Get List v4*.

Contents:

- *Required Permissions*
- *Request*
- *Response*
- *Reference*

Get the list of accessible wrangled datasets for the authenticated user.

Tip: In the Trifacta application UI, the `WrangledDataset` object is called a `recipe`.

Version: v3

Required Permissions

NOTE: Each request to the Trifacta® platform must include authentication credentials. See *API Authentication*.

Request

Request Type: GET

Endpoint:

```
/v3/wrangledDatasets
```

Endpoint with embedded flow:

```
/v3/wrangledDatasets?embed=flow
```

For more information, see *API WrangledDatasets Get v3*.

Endpoint with paged retrieval:

By default, this endpoint returns results in sets of 25.

You can apply query parameters to change the size of the default set and to page through result sets. The following example queries for results 100 at a time. In this case, the query asks for results 3-102:

```
/v3/wrangledDatasets?embed=flow&limit=100&offset=2
```

If the count of retrieved results is less than the limit, you have reached the end of the results.

Request Body:

Empty.

Response

Response Status Code - Success: 200 - OK

Response Body Example:

```
{
  "data": [
    {
      "id": 35,
      "wrangled": true,
      "createdAt": "2017-02-03T05:16:55.844Z",
      "updatedAt": "2017-02-03T05:16:56.998Z",
      "createdBy": 1,
      "updatedBy": 1,
      "name": "base_type_map_array_record_large",
      "description": null,
      "activeSample": {
        "id": 12
      },
      "flow": {
        "id": 12
      },
      "script": {
        "id": 36
      }
    },
    {
      "id": 33,
      "wrangled": true,
      "createdAt": "2017-02-03T05:15:16.145Z",
      "updatedAt": "2017-02-03T05:15:18.859Z",
      "createdBy": 1,
      "updatedBy": 1,
      "name": "original_2_1_random_rows",
      "description": null,
      "activeSample": {
        "id": 10
      },
      "flow": {
        "id": 11
      },
      "script": {
        "id": 34
      }
    },
    {
      "id": 31,
      "wrangled": true,
      "createdAt": "2017-02-03T01:53:41.284Z",
      "updatedAt": "2017-02-03T01:53:41.284Z",
      "createdBy": 1,
      "updatedBy": 1,
      "name": "cdr.txt",
      "description": null,
      "flow": {
        "id": 10
      },
      "script": {
        "id": 32
      }
    }
  ]
}
```

```
  },
  {
    "id": 30,
    "wrangled": true,
    "createdAt": "2017-02-03T01:53:40.930Z",
    "updatedAt": "2017-02-03T01:53:40.930Z",
    "createdBy": 1,
    "updatedBy": 1,
    "name": "customer_above_512k",
    "description": null,
    "flow": {
      "id": 10
    },
    "script": {
      "id": 31
    }
  }
]
}
```

Reference

For more information on the properties of a wrangled dataset, see *API ImportedDatasets Get v3*.

For more information on the embedded flow properties, see *API Flows Get v3*.