

# API Releases Patch v4

This is the latest version of the APIs.

## Contents:

- *Required Permissions*
- *Request*
- *Response*
- *Reference*

Update the specified release.

**NOTE:** Releases pertain to Production instances of the Trifacta® platform. For more information, see *Overview of Deployment Manager*.

**Version:** v4

## Required Permissions

**NOTE:** Each request to the Trifacta® platform must include authentication credentials. See *API Authentication*.

## Request

**Request Type:** PATCH

## Endpoint:

```
/v4/releases/<id>
```

where:

| Parameter | Description                         |
|-----------|-------------------------------------|
| <id>      | Internal identifier for the release |

## Request URI - Example:

```
/v4/releases/2
```

## Request Body: Example - Activate the release

You can use the following example to make the current release the active one for the deployment.

**NOTE:** You can have only one active release per deployment. If this release is made active as part of this execution, the currently active release is made inactive.

**NOTE:** For the PATCH method, only the properties that are being patched need to be submitted.

**Tip:** You can use this endpoint to deactivate a release, which prevents its jobs from being run. If there is no active release for the deployment, no jobs are run via the deployment job run endpoint. See *API Deployments Run v4*.

```
{
  "active": true
}
```

## Response

**Response Status Code - Success:** 200 - OK

### Response Body Example:

```
{
  "id": 2,
  "updater": {
    "id": 7
  },
  "updatedAt": "2019-02-13T20:55:21.276Z"
}
```

## Reference

For more information on the properties of a release, see *API Releases Get v4*.