

AWS Glue Browser

Use the AWS Glue browser to read sources stored as Glue database tables.

- Your Trifacta® deployment must be connected to a running instance of Glue. For more information, see *Enable AWS Glue Access*.
- The Glue browser appears when you select the Glue tab to create a dataset. See *Import Data Page*.
- For more information on interacting with Glue, see *Using AWS Glue*.




Figure: Glue Browser

Browse AWS Glue

NOTE: Last update timestamp information is not available through AWS Glue. That column always contains blank values.

Use the links and icons to browse for Glue databases and tables.

NOTE: Avoid using the Back button on your browser, which exits the Glue browser without applying changes to your configuration.

Identifier	Type	Description
	Database	Click these links to open a Glue database to reveal its tables.

	Table	<p>Click the Plus icon to select this Glue table as your source.</p> <p>To preview its data, hover over the name of the table, and then click the Eye icon.</p> <div data-bbox="797 258 1455 373" style="border: 1px solid #c8e6c9; padding: 5px;"> <p>Tip: Sizes and update timestamps are calculated and displayed next to tables. They are not displayed next to databases.</p> </div>
	View	<p>Click the Plus icon to select this view as your source.</p> <p>To preview its data, hover over the view name and then click the Eye icon.</p> <div data-bbox="797 537 1455 621" style="border: 1px solid #e0e0e0; padding: 5px;"> <p>NOTE: Previewing complex views may impact performance.</p> </div>
	Page navigation	<p>Use these links to navigate between pages of databases and tables.</p> <div data-bbox="797 709 1455 825" style="border: 1px solid #e0e0e0; padding: 5px;"> <p>NOTE: In some cases, subsequent pages of tables may be blank, and counts of tables may not match displayed figures. This is a known issue.</p> </div>
hive / default	Breadcrumb	Click the links in the breadcrumb trail to navigate.

Search List

To filter the list of databases or tables, enter a string in the Search box. The filter is applied as you type and matches anywhere in the name of a currently displayed database or table name.

Create Dataset with SQL

As needed, you can pre-filter the selected table or view inside the database. By entering a custom SQL statement, you can remove unnecessary data from the dataset that is extracted from the database, which enables faster and more meaningful imports of your database data. See *Create Dataset with SQL*. For more information, see *Enable Custom SQL Query*.