

Datetime Data Type

Trifacta® Wrangler Enterprise supports a variety of Datetime formats, each of which has additional variations to it.

Date Range

Supported Date Ranges:

- **Earliest:** January 1, 1400
- **Latest:** December 31, 2599

NOTE: The supported date ranges can be modified if needed. For more information, see *Configure Application Limits*.

You can use dates in the Gregorian calendar system only. Dates in the Julian calendar are not supported.

Data Validation

When values are validated against the Datetime data type, the Trifacta application does not compare them to an underlying calendar system. Instead, the application validates the values using regular expressions. This regular expression method checks for general Datetime validation and is fast to evaluate.

However, some values may follow the regular expression validation pattern but are not accurate dates. For example, every four years, February 29 is a valid date. When this date is validated against the Datetime data type, it may be detected as a valid value, while the date is changed in the application to be incremented to a close accurate date, such as March 1 in this example.

Formatting Tokens

You can use the following tokens to change the format of a column of dates:

Letter	Date or Time Component	Presentation	Examples
M	Month in year	Number	1
MM	Month in year	Number	01
MMMM	Month in year	Month	January
MMM	Month in year	Month	Jan
yy	Year	Number	16
yyyy	Year	Number	2016
D	Day in year	Number	352
d	Day in month	Number	9
dd	Day in a month	Number	09
EEE	Day in week (three-letter abbreviation)	Text	Wed
EEEE	Day in week	Text	Wednesday

h	Hour in day (1-12) NOTE: Requires an AM/PM indicator (a).	Number	2
hh	Hour in am/pm (01-12) NOTE: Requires an AM/PM indicator (a).	Number	02
H	Hour in day (1-12)	Number	2
HH	Hour in day (0-23)	Number	20
m	Minute in an hour	Number	9
mm	Minute in an hour	Number	09
s	Second in a minute	Number	3
ss	Second in a minute	Number	03
SSS	Millisecond	Number	218
X	Time zone	ISO 8601 time zone	-08 : 00
a	AM/PM indicator	String	AM

NOTE: When publishing to relational targets, Datetime values are written as date/time values in newly created tables. If you are appending to a relational table column that is in timestamp format, Datetime values can be written as timestamps.

Tip: If your DateTime column contains data in multiple formats, you must change the format of the DateTime column to one format and then add a transform to convert that data to the other format. When all formats of your source date values are converted to a single format, the application should infer the appropriate date and time format.

Supported Separators:

- Date separators: blank space, comma, single hyphen, or forward slash
- Time separators: blank space, comma, single hyphen, colon, t or T
- Non-delimited Datetime values are supported. For example, yyyyymmdd, yyyyymmddThhmmssX.

ISO 8601 Time Zone Notes:

- Support for timezone offset from UTC indicated by +hh:mm, +hhmm, or +hh. For example, the date '2013-11-18 11:55-04:00' is recognized as a DateTime value.
- Datetime part functions (for example, Hour) truncate time zones and return local time.
- If you have a column with multiple time zones, you can convert the column to Unixtime so you can perform Date/Time operations with a standardized time zone. If you want to work with local times, you can truncate the time zone or use other Datetime functions. See *UNIXTIME Function*.