

GREATERTHANEQUAL Function

Contents:

- *Basic Usage*
- *Syntax and Arguments*
 - *value1, value2*
- *Examples*
 - *Example - Basic Comparison Functions*
 - *Example - Using Comparisons to Test Ranges*

Returns `true` if the first argument is greater than or equal to the second argument. Equivalent to the `>=` operator.

- Each argument can be a literal Integer or Decimal number, a function returning a number, or a reference to a column containing numbers.

Since the function returns a Boolean value, it can be used as a function or a conditional.

NOTE: Within an expression, you might choose to use the corresponding operator, instead of this function. For more information, see *Comparison Operators*.

Basic Usage

```
greaterthanequal(myValue, minLimit)
```

Output: Returns `true` when the value in the `myValue` column is greater than or equal to the value in `minLimit`.

Syntax and Arguments

```
greaterthanequal(value1, value2)
```

| Argument | Required? | Data Type | Description |
|----------|-----------|-----------|--|
| value1 | Y | string | The first value. This can be a number, a function returning a number, or a column containing numbers. |
| value2 | Y | string | The second value. This can be a number, a function returning a number, or a column containing numbers. |

For more information on syntax standards, see *Language Documentation Syntax Notes*.

value1, value2

Names of the column, expressions, or literals to compare.

- Missing values generate missing string results.

Usage Notes:

| Required? | Data Type | Example Value |
|-----------|--|---------------|
| Yes | Column reference, function, or numeric or String value | myColumn |

Examples

Tip: For additional examples, see *Common Tasks*.

Example - Basic Comparison Functions

This simple example demonstrate available comparison functions:

- LESSTHAN - See *LESSTHAN Function*.
- LESSTHANEQUAL - See *LESSTHANEQUAL Function*.
- EQUAL - See *EQUAL Function*.
- NOTEQUAL - See *NOTEQUAL Function*.
- GREATERTHAN - See *GREATERTHAN Function*.
- GREATERTHANEQUAL - See *GREATERTHANEQUAL Function*.

Source:

| colA | colB |
|------|------|
| 1 | 11 |
| 2 | 10 |
| 3 | 9 |
| 4 | 8 |
| 5 | 7 |
| 6 | 6 |
| 7 | 5 |
| 8 | 4 |
| 9 | 3 |
| 10 | 2 |
| 11 | 1 |

Transformation:

Add the following transforms to your recipe, one for each comparison function:

| | |
|-----------------------------------|----------------------|
| Transformation Name | New formula |
| Parameter: Formula type | Single row formula |
| Parameter: Formula | LESSTHAN(colA, colB) |
| Parameter: New column name | 'lt' |

| | |
|-----------------------------------|---------------------------|
| Transformation Name | New formula |
| Parameter: Formula type | Single row formula |
| Parameter: Formula | LESSTHANEQUAL(colA, colB) |
| Parameter: New column name | 'lte' |

| | |
|-----------------------------------|--------------------|
| Transformation Name | New formula |
| Parameter: Formula type | Single row formula |
| Parameter: Formula | EQUAL(colA, colB) |
| Parameter: New column name | 'eq' |

| | |
|-----------------------------------|----------------------|
| Transformation Name | New formula |
| Parameter: Formula type | Single row formula |
| Parameter: Formula | NOTEQUAL(colA, colB) |
| Parameter: New column name | 'neq' |

| | |
|-----------------------------------|-------------------------|
| Transformation Name | New formula |
| Parameter: Formula type | Single row formula |
| Parameter: Formula | GREATERTHAN(colA, colB) |
| Parameter: New column name | 'gt' |

| | |
|-----------------------------------|------------------------------|
| Transformation Name | New formula |
| Parameter: Formula type | Single row formula |
| Parameter: Formula | GREATERTHANEQUAL(colA, colB) |
| Parameter: New column name | 'gte' |

Results:

| colA | colB | gte | gt | neq | eq | lte | lt |
|------|------|-------|-------|-------|-------|-------|-------|
| 1 | 11 | false | false | true | false | true | true |
| 2 | 10 | false | false | true | false | true | true |
| 3 | 9 | false | false | true | false | true | true |
| 4 | 8 | false | false | true | false | true | true |
| 5 | 7 | false | false | true | false | true | true |
| 6 | 6 | true | false | false | true | true | false |
| 7 | 5 | true | true | true | false | false | false |
| 8 | 4 | true | true | true | false | false | false |

| | | | | | | | |
|----|---|------|------|------|-------|-------|-------|
| 9 | 3 | true | true | true | false | false | false |
| 10 | 2 | true | true | true | false | false | false |
| 11 | 1 | true | true | true | false | false | false |

Example - Using Comparisons to Test Ranges

In the town of Circleville, citizens are allowed to maintain a single crop circle in their backyard, as long as it confirms to the town regulations. Below is some data on the size of crop circles in town, with a separate entry for each home. Limits are displayed in the adjacent columns, with the `inclusive` columns indicating whether the minimum or maximum values are inclusive.

Tip: As part of this exercise, you can see how you can extend your recipe to perform some simple financial analysis of the data.

Source:

| Location | Radius_ft | minRadius_ft | minInclusive | maxRadius_ft | maxInclusive |
|----------|-----------|--------------|--------------|--------------|--------------|
| House1 | 55.5 | 10 | Y | 25 | N |
| House2 | 12 | 10 | Y | 25 | N |
| House3 | 14.25 | 10 | Y | 25 | N |
| House4 | 3.5 | 10 | Y | 25 | N |
| House5 | 27 | 10 | Y | 25 | N |

Transformation:

After the data is loaded into the Transformer page, you can begin comparing column values:

| | |
|-----------------------------------|--|
| Transformation Name | New formula |
| Parameter: Formula type | Single row formula |
| Parameter: Formula | <code>LESSTHANEQUAL(Radius_ft,minRadius_ft)</code> |
| Parameter: New column name | 'tooSmall' |

While accurate, the above transform does not account for the `minInclusive` value, which may be changed as part of your steps. Instead, you can delete the previous transform and use the following, which factors in the other column:

| | |
|-----------------------------------|---|
| Transformation Name | New formula |
| Parameter: Formula type | Single row formula |
| Parameter: Formula | <code>IF(minInclusive == 'Y',LESSTHANEQUAL(Radius_ft,minRadius_ft),LESSTHAN(Radius_ft,minRadius_ft))</code> |
| Parameter: New column name | 'tooSmall' |

In this case, the `IF` function tests whether the minimum value is inclusive (values of 10 are allowed). If so, the `LESSTHANEQUAL` function is applied. Otherwise, the `LESSTHAN` function is applied. For the maximum limit, the following step applies:

| | |
|-----------------------------------|--|
| Transformation Name | New formula |
| Parameter: Formula type | Single row formula |
| Parameter: Formula | IF(maxInclusive == 'Y', GREATERTHANEQUAL(Radius_ft, maxRadius_ft), GREATERTHAN(Radius_ft, maxRadius_ft)) |
| Parameter: New column name | 'tooBig' |

Now, you can do some analysis of this data. First, you can insert a column containing the amount of the fine per foot above the maximum or below the minimum. Before the first `derive` command, insert the following, which is the fine (\$15.00) for each foot above or below the limits:

| | |
|-----------------------------------|--------------------|
| Transformation Name | New formula |
| Parameter: Formula type | Single row formula |
| Parameter: Formula | 15 |
| Parameter: New column name | 'fineDollarsPerFt' |

At the end of the recipe, add the following new line, which calculates the fine for crop circles that are too small:

| | |
|-----------------------------------|--|
| Transformation Name | New formula |
| Parameter: Formula type | Single row formula |
| Parameter: Formula | IF(tooSmall == 'true', (minRadius_ft - Radius_ft) * fineDollarsPerFt, 0.0) |
| Parameter: New column name | 'fine_Dollars' |

The above captures the too-small violations. To also capture the too-big violations, change the above to the following:

| | |
|-----------------------------------|---|
| Transformation Name | New formula |
| Parameter: Formula type | Single row formula |
| Parameter: Formula | IF(tooSmall == 'true', (minRadius_ft - Radius_ft) * fineDollarsPerFt, if(tooBig == 'true', (Radius_ft - maxRadius_ft) * fineDollarsPerFt, '0.0')) |
| Parameter: New column name | 'fine_Dollars' |

In place of the original "false" expression (0.0), the above adds the test for the too-big values, so that all fines are included in a single column. You can reformat the `fine_Dollars` column to be in dollar format:

| | |
|----------------------------|--------------------------|
| Transformation Name | Edit column with formula |
|----------------------------|--------------------------|

| | |
|---------------------------|-------------------------------------|
| Parameter: Columns | fine_Dollars |
| Parameter: Formula | NUMFORMAT(fine_Dollars, '\$###.00') |

Results:

After you delete the columns used in the calculation and move the remaining ones, you should end up with a dataset similar to the following:

| Location | fineDollarsPerFt | Radius_ft | minRadius_ft | minInclusive | maxRadius_ft | maxInclusive | fineDollars |
|----------|------------------|-----------|--------------|--------------|--------------|--------------|-------------|
| House1 | 15 | 55.5 | 10 | Y | 25 | N | \$457.50 |
| House2 | 15 | 12 | 10 | Y | 25 | N | \$0.00 |
| House3 | 15 | 14.25 | 10 | Y | 25 | N | \$0.00 |
| House4 | 15 | 3.5 | 10 | Y | 25 | N | \$97.50 |
| House5 | 15 | 27 | 10 | Y | 25 | N | \$30.00 |

Now that you have created all of the computations for generating these values, you can change values for minRadius_ft, maxRadius_ft, and fineDollarsPerFt to analyze the resulting fine revenue. Before or after the transform where you set the value for fineDollarsPerFt, you can insert something like the following:

| | |
|----------------------------|--------------------------|
| Transformation Name | Edit column with formula |
| Parameter: Columns | minRadius_ft |
| Parameter: Formula | '12.5' |

After the step is added, select the last line in the recipe. Then, you can see how the values in the fineDollars column have been updated.