

API WrangledDatasets Get PrimaryInputDataset v4

This is the latest version of the APIs.

Contents:

- *Required Permissions*
- *Request*
- *Response*
- *Reference*

Get the primary input dataset for the specified wrangled dataset. For a wrangled dataset, its **primary input dataset** is the original dataset from which the wrangled dataset was created.

Tip: In the Trifacta application UI, the WrangledDataset object is called a `recipe`.

Version: v4

Required Permissions

NOTE: Each request to the Trifacta® platform must include authentication credentials. See *API Authentication*.

Request

Request Type: GET

Endpoint:

```
/v4/wrangledDatasets/<id>/primaryInputDataset
```

where:

Parameter	Description
<id>	Internal identifier for the wrangled dataset

Request URI - Example:

```
/v4/wrangledDatasets/31/primaryInputDataset
```

Request Body:

Empty.

Response

Response Status Code - Success: 200 - OK

Response Body Example - imported dataset:

```
{
  "importedDataset": {
    "path": "/trifacta/uploads/1/3630243f-4a20-4996-8fa4-cb190c565358/POS-r01.txt",
    "bucket": null,
    "container": null,
    "type": "hdfs",
    "blobHost": null,
    "isDynamicOrConverted": false,
    "id": 9,
    "dynamicPath": null,
    "isSchematized": true,
    "isDynamic": false,
    "isConverted": false,
    "disableTypeInference": false,
    "hasStructuring": true,
    "createdAt": "2019-01-28T19:54:47.667Z",
    "updatedAt": "2019-01-28T19:54:47.847Z",
    "storageLocation": {
      "fullUri": "hdfs:///trifacta/uploads/1/3630243f-4a20-4996-8fa4-cb190c565358/POS-r01.txt",
      "id": 34,
      "path": "/trifacta/uploads/1/3630243f-4a20-4996-8fa4-cb190c565358/POS-r01.txt",
      "size": "292817",
      "workspaceId": 1,
      "type": "hdfs",
      "bucket": null,
      "blobHost": null,
      "container": null,
      "hash": "215944e85eaabf9fd7ae837b36ff80711abe7ae1",
      "createdAt": "2019-01-28T19:54:47.664Z",
      "updatedAt": "2019-01-28T19:54:47.664Z"
    },
    "creator": {
      "id": 1
    },
    "updater": {
      "id": 1
    },
    "workspace": {
      "id": 1
    },
    "parsingRecipe": {
      "id": 25
    },
    "connection": null
  }
}
```

Response Body Example - recipe:

```

{
  "wrangledDataset": {
    "id": 11,
    "wrangled": true,
    "createdAt": "2018-04-24T16:12:14.018Z",
    "updatedAt": "2018-04-24T17:05:06.741Z",
    "referenceInfo": {
      "id": 1
    },
    "activeSample": {
      "id": 11
    },
    "creator": {
      "id": 1
    },
    "updater": {
      "id": 1
    },
    "recipe": {
      "id": 11
    },
    "flow": {
      "id": 3
    }
  }
}

```

Reference

Imported Dataset:

For more information on these properties, see *API ImportedDatasets Get v4*.

Wrangled Dataset:

Property	Description
id	Internal identifier of the recipe associated with this dataset
wrangled	If <code>true</code> , this object is a recipe.
createdAt	Timestamp for when the recipe was created
updatedAt	Timestamp for when the recipe was last updated
referenceInfo.id	Internal identifier of the object that provides input to this one.
activeSample.id	Internal identifier of the sample currently associated with this recipe.
creator.id	Internal identifier of the user who created this recipe.
updater.id	Internal identifier of the user who last modified this recipe.
recipe.id	Internal identifier of the recipe associated with this dataset
flow.id	Internal identifier of the flow that contains this dataset

For more information on the other properties, see *API WrangledDatasets Get v4*.