

# API People Get v4

This is the latest version of the APIs.

## Contents:

- *Required Permissions*
- *Request*
- *Response*
- *Reference*

Retrieve the platform account information for a user specified by `userId`.

**Version:** v4

## Required Permissions

The authenticated user must be an admin.

**NOTE:** Each request to the Trifacta® platform must include authentication credentials. See *API Authentication*.

## Request

**Request Type:** GET

## Endpoint:

```
/v4/people/<id>
```

where:

| Parameter | Description                                  |
|-----------|--|
| <id>      | Internal identifier of the user to retrieve. |

## Request URI - Example:

```
/v4/people/4
```

## Query parameter reference:

The following query parameters can be submitted with this endpoint:

| Query Parameter | Data Type | Description  |
|-----------------|-----------|--|
| embed           | string    | Comma-separated list of objects to include part of the response. |
| includeDeleted  | string    | If set to <code>true</code> , response includes deleted objects. |

The following parameters are supported specifically for this endpoint:

| Query Parameter  | Data Type | Description   |
|------------------|-----------|---|
| preventNameFetch | string    | If <code>true</code> , Name and emailAddress values are not returned. |
| uuid             | string    | Universal user identification value                                   |
| workspaceId      | string    | Workspace identifier. This value is typically 1.                      |

For more information, see *API Common Query Parameters v4*.

### Request Body:

Empty.

### Response

**Response Status Code - Success:** 200 - OK

### Response Body Example:

```
{
  "id": 2,
  "email": "joe@example.com",
  "name": "Joe Guy",
  "ssoPrincipal": null,
  "hadoopPrincipal": null,
  "isAdmin": false,
  "isDisabled": false,
  "forcePasswordChange": false,
  "state": "active",
  "lastStateChange": null,
  "createdAt": "2019-02-12T09:04:52.073Z",
  "updatedAt": "2019-02-12T09:04:52.073Z",
  "outputHomeDir": "/trifacta/queryResults/joe@example.com",
  "fileUploadPath": "/trifacta/uploads",
  "lastLoginTime": "2019-05-19T10:53:11.014Z",
  "awsConfig": null
}
```

### Reference

| Property            | Description   |
|---------------------|---|
| id                  | Internal user identifier  |
| email               | Email address (and loginId) for the user  |
| name                | Display name for the user   |
| ssoPrincipal        | (If SSO is enabled) Principal value of the user for single-sign on provider   |
| hadoopPrincipal     | (If secure impersonation is enabled) Hadoop principal value for the user, which determines permissions on the cluster |
| isAdmin             | If <code>true</code> , the user account is an administrator account.  |
| isDisabled          | If <code>true</code> , the account is disabled.   |
| forcePasswordChange | (if enabled) When set to <code>true</code> , the user must change the account password on next login.                 |

|                 |   |
|-----------------|---|
| state           | Current state of the user account: <ul style="list-style-type: none"> <li>• <code>active</code> - user is active and usable in the workspace</li> <li>• <code>hidden</code> - user account has been hidden from use.</li> </ul> |
| lastStateChange | Timestamp for when the value of the <code>state</code> parameter was changed.   |
| createdAt       | Timestamp for when the user account was created   |
| updatedAt       | Timestamp for when the user account was last modified   |
| outputHomeDir   | Home directory where the user's generated results are written   |
| fileUploadPath  | Path on backend datastore where files uploaded from the user's desktop are stored for use as imported datasets.   |
| lastLoginTime   | Timestamp for when the user last logged in to the product.  |
| awsConfig       | (If AWS integration is enabled) Value contains the S3 credentials, default bucket, and any extra buckets to which the user has access   |

For more information on roles, see *Manage Users*.