

Dataset Details Page

Contents:

- *Imported Dataset*
- *Reference Dataset*
- *Dataset with Parameters*

Use the Dataset Details page to review a dataset's usage and to perform management tasks on it.

Imported Dataset

For datasets that have been imported into Trifacta Wrangler Pro, you can review source location and current usage within flows to which you have access.

Status: For large relational datasets, you can track status of the import process. For more information, see *Overview of Job Monitoring*.

If the dataset is used in a flow, click the flow name to review its usage in the flow. See *Flow View Page*.

The screenshot shows the details for a dataset named 'POS-r01.txt'. It includes a file icon, the name, and two buttons: 'Wrangle in new Flow' (blue) and 'Preview' (white). Below this, it shows 'Last updated: Last Thursday at 6:03 PM' and 'File size: 285.95kB'. To the right, it shows 'Created: Last Thursday at 6:03 PM' and 'Size: 16 columns · 4 types'. Below that, it says 'Used in 1 Flow'. A table lists the flow used: '2013 POS' (with a flow icon), which contains '6 Datasets, 1 Recipe' and was 'Last Updated' 'Yesterday at 10:43 AM'.

Name	Objects	Last Updated
2013 POS	6 Datasets, 1 Recipe	Yesterday at 10:43 AM

Figure: Imported dataset details

Actions:


- **Wrangle in New Flow:** Create a new flow for your dataset and begin wrangling.
- **Preview:** Review the first few rows of the dataset.
- **Edit custom SQL:** After you have created a dataset using custom SQL, you can modify the SQL used to construct the imported dataset.
- **Add to Flow:** Add imported dataset to a new or existing flow.
- **Make a copy:** Create a copy of the imported dataset.
- **Edit name and description:** Edit the name and description for the dataset.
- **Remove structure:** Remove initial steps applied to structure data.
- **Delete Dataset:** Delete the dataset.

Deleting a dataset cannot be undone.

For more information on the sources from which a dataset was created, see *Flow View Page*.

Reference Dataset

A **reference dataset** is a reference from one flow to the dataset that is sourced in another flow. When the source dataset is modified, the reference dataset automatically receives the changes. For more information on creating a reference dataset, see *Flow View Page*.



The screenshot shows the details for a reference dataset named 'POS-r01'. It includes metadata such as 'Last updated: Today at 11:34 AM', 'Created: Today at 11:34 AM', and 'Created in: 2013 POS'. It also indicates it is 'Used in 1 Other Flow'. A table below lists the objects associated with the dataset:

Name	Objects	Last Updated
2013 POS - refined	1 Dataset, 0 Recipes	Today at 11:34 AM

Figure: Reference Dataset details

Actions:

- **Preview:** Review a preview of the first few rows in the dataset.
- **Add to Flow:** Add the reference dataset to a new or existing flow.
- **Edit name and description:** Edit the name and description for the dataset.
- **Delete Reference Dataset:** Delete the reference dataset. The object on which the reference dataset is based is untouched.


Deleting a dataset cannot be undone.

Dataset with Parameters

If your dataset was created with parameters, you can review dataset and parameter information in the details.

For more information on creating these datasets, see *Create Dataset with Parameters*.

For more information, see *Overview of Parameterization*.



The screenshot shows the details for a dataset with parameters named 'Dataset with Parameters'. It includes metadata such as 'Last updated: Today at 11:33 AM', 'Created: Today at 11:33 AM', and 'Size: 16 columns - 4 types'. A 'Parameters' section shows the path and a table of defined parameters:

Parameters	Type	Default value	Name
* (digit){digit}	Pattern	matches against trifacta pattern: '(digit){digit}'	

Figure: Dataset with Parameters details

You can review the parameters and variables that have been defined for the dataset.

Action:

- **Wrangle in new Flow:** Create a new flow for your dataset and begin wrangling.
- **Preview:** Review the first few rows of the dataset.
- **Add to Flow:** Add imported dataset to a new or existing flow.
- **Make a copy:** Create a copy of the imported dataset.

- **Edit name and description:** Edit the name and description for the dataset.
- **Edit parameters:** Modify the parameters used to create the dataset. See *Create Dataset with Parameters*.
- **Remove structure:** Remove the initial parsing structure. When the structure is removed:
 - The dataset is converted to an unstructured dataset. An **unstructured dataset** is the source data converted into a flat file format.
 - All steps to shape the dataset are removed. You must break up columns in manual steps in any recipe created from the object. See *Flow View Page*.
- **Delete Dataset:** Delete the dataset.

Deleting a dataset cannot be undone.