

IFMISSING Function

Contents:

- *Basic Usage*
- *Syntax and Arguments*
 - *source_value*
 - *output_value*
- *Examples*
 - *Example - IF* functions for data type validation*

The `IFMISSING` function writes out a specified value if the source value is a null or missing value. Otherwise, it writes the source value. Input can be a literal, a column reference, or a function.

- The `ISMISSING` function simply tests if a value is missing. See *ISMISSING Function*.
- Missing values are different from null values. To test for null values, see *IFNULL Function*.

Tip: Since this function captures both missing and null values, you may first wish to address the rows with null values using the `IFNULL` or `ISNULL` functions. Any remaining rows that are matched based on this function are exclusively missing values.

Basic Usage

```
derive type:single value:IFMISSING(my_score,'0') as:'final_score'
```

Output: Generates a new column called, `final_score`, which contains the value 0 if the value in `my_score` is a null or missing value.

Syntax and Arguments

```
derive type:single value:IFMISSING(column_string, computed_value)
```

| Argument | Required? | Data Type | Description |
|---------------------------|-----------|-----------|---|
| <code>source_value</code> | Y | string | Name of column, string literal or function to be tested |
| <code>output_value</code> | y | string | String literal value to write |

For more information on syntax standards, see *Language Documentation Syntax Notes*.

source_value

Name of the column, string literal, or function to be tested for missing values.

- Missing literals or column values generate missing string results.
- Multiple columns and wildcards are not supported.

Usage Notes:

| Required? | Data Type | Example Value |
|-----------|-----------|---------------|
|-----------|-----------|---------------|

| | | |
|-----|---|----------|
| Yes | String literal, column reference, or function | myColumn |
|-----|---|----------|

output_value

The output value to write if the tested value returns a null or missing value.

Usage Notes:

| Required? | Data Type | Example Value |
|-----------|---------------------------|------------------|
| Yes | String or numeric literal | 'Missing input ' |

Examples

Tip: For additional examples, see *Common Tasks*.

Example - IF* functions for data type validation

This section provides simple examples for how to use the IF* functions for data type validation. These functions include the following:

- **IFNULL** - For an input expression or value, this function returns the specified value if the input is a null value. See *IFNULL Function*.
- **IFMISSING** - Returns the specified value if the input value or expression is a missing value. See *IFMISSING Function*.
- **IFMISMATCHED** - Returns the specified value if the input value or expression is mismatched against the column's data type. See *IFMISMATCHED Function*.
- **IFVALID** - Returns the specified value if the input value or expression is valid against the column's data type. See *IFVALID Function*.

Source:

The following simple table lists zip codes by customer identifier:

| custId | custZip |
|--------|------------|
| C001 | 98123 |
| C002 | 94105 |
| C003 | 12415 |
| C004 | 12451-2234 |
| C005 | 12441-298 |
| C006 | |
| C007 | |
| C008 | 1242 |
| C009 | 1104 |

Transform:

When the above is imported into the Transformer page, you notice the following:

- The `custZip` column is typed as Integer.

- There are two missing and two mismatched values in the `custZip` column.

First, you test for valid values in the `custZip` column. Using the `IFVALID` function, you can validate against any data type:

```
derive type:single value:IFVALID(custZip, 'Zipcode', 'ok') as:'status'
```

Fix four-digit zips: In the `status` column are instances of `ok` for the top four rows. You notice that the bottom two rows contain four-digit codes.

Since the `custZip` values were originally imported as Integer, any leading 0 values are deleted. In this case, you can add back the leading zero. Before the previous step, change the data type of `zip` to String and insert the following:

```
derive type:single value:IF(LEN(custZip)=4,'0','') as:'FourDigitZip'
```

```
derive type:single value: merge([FourDigitZip,custZip]) as:'custZip2'
```

```
set col:zip value:custZip2
```

```
drop col:FourDigitZip,custZip2
```

Now, when you click the last recipe step, you should see that two more rows in `status` are listed as `Ok`.

For the zip code with the three-digit extension, you can simply remove that extension to make it valid. Click the step above the last one. In the data grid, highlight the value. Click the Replace suggestion card. Select the option that uses the following for the matching pattern:

```
'-{digit}{3}{end}'
```

The above means that all three-digit extensions are deleted from the zip. You can do the same for any two- and one-digit extensions, although there are none in this sample.

Missing and null values: Now, you need to address how to handle missing and null values. The `IFMISSING` tests for both missing and null values, while the `IFNULL` tests just for null values. In this example, you want to delete null values, which could mean that the data for that row is malformed and to write a status of `missing` for missing values.

Click above the last line in the recipe to insert the following:

```
set col:custZip value:IFNULL(custZip, 'xxxxx')
```

```
set col:custZip value:IFMISSING(custZip, '00000')
```

Now, when you click the last line of the recipe, only the null value is listed as having a status other than `ok`. You can use the following to remove this row and all like it:

```
delete row:(status == 'xxxxx')
```

Results:

| custId | custZip | status |
|--------|---------|--------|
| C001 | 98123 | ok |

| | | |
|------|------------|----|
| C002 | 94105 | ok |
| C003 | 12415 | ok |
| C004 | 12451-2234 | ok |
| C005 | 12441-298 | ok |
| C006 | 00000 | ok |
| C008 | 1242 | ok |
| C009 | 1104 | ok |

As an exercise, you might repeat the above steps starting with the IFMISMATCHED function determining the value in the status column:

```
derive type:single value:IFMISMATCHED(custZip, 'Zipcode', 'mismatched') as:'status'
```