


API Connections Permissions Get User v4

 This is the latest version of the APIs.

Contents:

- *Required Permissions*
- *Request*
- *Response*
- *Reference*


Retrieve the user permissions to a specified connection.

For more information on connections, see *Connection Types*.

Version: v4

Required Permissions

The authenticated user must be an admin.

 **NOTE:** Each request to the Trifacta® platform must include authentication credentials. See *API Authentication*.

Request

Request Type: GET

Endpoint:

```
/v4/connections/<cid>/permissions/
```

Parameter	Description
<cid>	Internal identifier of the connection to retrieve.

Request URI - Example:

```
/v4/connections/7/permissions/
```

Request Body:

None.

Response

Response Status Code - Success: 200 - OK

Response Body Example:

```
[
  {
    "name": "Administrator",
    "email": "admin@trifacta.local",
    "id": 1,
    "connectionpermission": {
      "connectionId": 7,
      "personId": 1,
      "role": "owner"
    }
  },
  {
    "name": "Joe Guy",
    "email": "jguy@example.com",
    "id": 6,
    "connectionpermission": {
      "connectionId": 7,
      "personId": 6,
      "role": "readOnly"
    }
  }
]
```

Reference

Property	Description
connectionId	Internal identifier of the connection
personId	Internal identifier of the user who has access to the connection
role	Role assigned to the user for the connection. Values: <ul style="list-style-type: none">owner - creator and owner of the connectionreadOnly - user with whom the connection has been shared. Users cannot modify the connection.

For more information, see *API Connections Get v4*.