



API WrangledDatasets Get v3

 As of Release 6.4, the v3 APIs are End of Life (EOL). Before using this release or a later one, you should migrate to using the latest available API version. For more information, see *API Version Support Matrix*. Latest version of this endpoint: *API WrangledDatasets Get v4*.

Contents:


- *Required Permissions*
- *Request*
- *Response*
- *Reference*

Get the specified wrangled dataset.

 **Tip:** In the Trifacta application UI, the `WrangledDataset` object is called a `recipe`.

Version: v3

Required Permissions

 **NOTE:** Each request to the Trifacta® platform must include authentication credentials. See *API Authentication*.

Request

Request Type: GET

Endpoint:

```
/v3/wrangledDatasets/<id>
```

Endpoint with embedded reference:

Use the following endpoint to embed information about the flow that contains the dataset in the response body.

```
/v3/wrangledDatasets/<id>?embed=flow
```

where:

| Parameter | Description |
|-----------|--|
| <id> | Internal identifier for the wrangled dataset |

Request URI - Example:

```
/v3/wrangledDatasets/35/
```

Request Body:

Empty.

Response

Response Status Code - Success: 200 - OK

Response Body Example:

```
{
  "id": 35,
  "wrangled": true,
  "createdAt": "2017-02-03T05:16:55.844Z",
  "updatedAt": "2017-02-03T05:16:56.998Z",
  "createdBy": 1,
  "updatedBy": 1,
  "name": "base_type_map_array_record_large",
  "description": null,
  "activeSample": {
    "id": 12
  },
  "flow": {
    "id": 12
  },
  "script": {
    "id": 36
  }
}
```

Response Body Example with embedded reference:

```
{
  "id": 35,
  "wrangled": true,
  "createdAt": "2017-02-03T05:16:55.844Z",
  "updatedAt": "2017-02-03T05:16:56.998Z",
  "createdBy": 1,
  "updatedBy": 1,
  "name": "base_type_map_array_record_large",
  "description": null,
  "activeSample": {
    "id": 12
  },
  "flow": {
    "id": 12,
    "name": "base_type_map_array_record_large Flow",
    "description": null,
    "createdAt": "2017-02-03T05:16:55.684Z",
    "updatedAt": "2017-02-03T05:16:55.684Z",
    "createdBy": 1,
    "updatedBy": 1
  },
  "script": {
    "id": 36
  }
}
```

Reference

Wrangled Dataset:

These properties apply to the source of the wrangled dataset.

| Property | Description |
|--------------|---|
| id | Internal identifier of the wrangled dataset |
| wrangled | If <code>true</code> , this dataset is a wrangled dataset |
| createdAt | Timestamp for when the dataset was imported |
| updatedAt | Timestamp for when the dataset was last updated |
| createdBy | Internal identifier of the user who created the wrangled dataset |
| updatedBy | Internal identifier of the user who last updated the wrangled dataset |
| name | Internal name of the wrangled dataset |
| description | User-friendly description for the wrangled dataset |
| activeSample | Internal identifier of the currently active sample for this dataset |
| flow | Internal identifier of the flow that contains this dataset |
| script | Internal identifier of the recipe associated with this dataset |

Embedded Flow:

For more information on the embedded flow properties, see *API Flows Get v3*.