

# API AWSConfigs Get List v4

This is the latest version of the APIs.

## Contents:

- *Required Permissions*
- *Request*
- *Response*
- *Reference*

Get information on all available AWS configuration objects.

**NOTE:** APIs for AWS configs apply only to instances of the Trifacta® platform that are hosted on AWS and configured for `user` mode of authentication. These configuration objects can be assigned to individual users as needed.

For more information on how to use awsConfig objects, see *API Workflow - Manage AWS Configurations*.

**Version:** v4

## Required Permissions

**NOTE:** Each request to the Trifacta® platform must include authentication credentials. See *API Authentication*.

## Request

**Request Type:** GET

**Endpoint:**

```
/v4/awsConfigs/
```

**Request URI - Example:**

```
/v4/awsConfigs/
```

**Request Body:**

Empty.

## Response

**Response Status Code - Success:** 200 - OK

**Response Body Example:**

```
{
  "data": [
    {
      "extraBuckets": [],
      "id": 3,
      "defaultBucket": "3test-04",
      "credentialProvider": "default",
      "externalId": null,
      "activeRoleId": null,
      "createdAt": "2019-07-15T23:29:10.762Z",
      "updatedAt": "2019-07-15T23:29:10.844Z",
      "credential": {
        "id": 6
      }
    },
    {
      "extraBuckets": [],
      "id": 2,
      "defaultBucket": "3test-03",
      "credentialProvider": "default",
      "externalId": null,
      "activeRoleId": null,
      "createdAt": "2019-07-15T23:10:20.670Z",
      "updatedAt": "2019-07-15T23:10:20.751Z",
      "credential": {
        "id": 5
      }
    },
    {
      "extraBuckets": [],
      "id": 1,
      "defaultBucket": "3test-01",
      "credentialProvider": "default",
      "externalId": null,
      "activeRoleId": null,
      "createdAt": "2019-07-15T19:18:13.482Z",
      "updatedAt": "2019-07-15T19:18:13.566Z",
      "credential": {
        "id": 4
      }
    }
  ]
}
```

## Reference

For more information, see *API AWSConfigs Get v4*.