

ARRAYCROSS Function

Generates a nested array containing the cross-product of all elements in two or more arrays.

- Input arrays can be referenced as column names or array literals.
- If Array1 has M elements and Array2 has N elements, the generated array has M X N elements.

NOTE: Be careful applying this function across columns of large arrays. A limit is automatically applied on large arrays to prevent overloading the browser. Avoid apply the ARRAYCROSS transform to very wide columns.

Basic Usage

Array literal reference example:

```
derive type:single value:ARRAYCROSS(["A","B"],["1","2","3"])
```

Output: Generates a single array:

```
[["A","1"],["A","2"],["A","3"],["B","1"],["B","2"],["B","3"]]
```

Column reference example:

```
derive type:single value:ARRAYCROSS(array1,array2,array3) as:'cross_Array'
```

Output: Generates a new `cross_Array` column containing a single array listing all combinations of elements between `array1`, `array2`, and `array3`.

Syntax and Arguments

```
derive type:single value:ARRAYCROSS(array_ref1,array_ref2)
```

Argument	Required?	Data Type	Description
array_ref1	Y	string or array	Name of first column or first array literal to apply to the function
array_ref2	Y	string or array	Name of second column or second array literal to apply to the function

For more information on syntax standards, see *Language Documentation Syntax Notes*.


array_ref1, array_ref2

Array literal or name of the array column whose intersection you want to derive.

Usage Notes:

Required?	Data Type	Example Value
Yes	Array literal or column reference	myArray1, myArray2

Examples

 **Tip:** For additional examples, see *Common Tasks*.

Example - Simple cross example

This simple example illustrates how the following functions operate on nested data.

- **ARRAYCONCAT** - Concatenate multiple arrays together. See *ARRAYCONCAT Function*.
- **ARRAYINTERSECT** - Find the intersection of elements between multiple arrays. See *ARRAYINTERSECT Function*.
- **ARRAYCROSS** - Compute the cross product of multiple arrays. See *ARRAYCROSS Function*.
- **ARRAYUNIQUE** - Generate unique values across multiple arrays. See *ARRAYUNIQUE Function*.

Source:

Code formatting has been applied to improve legibility.

Item	ArrayA	ArrayB
Item1	["A", "B", "C"]	["1", "2", "3"]
Item2	["A", "B"]	["A", "B", "C"]
Item3	["D", "E", "F"]	["4", "5", "6"]

Transform:

You can apply the following transforms in the following order. Note that the column names must be different from the transform name, which is a reserved word.

```
derive type:single value:ARRAYCONCAT([Letters,Numerals]) as:'concat2'
```

```
derive type:single value:ARRAYINTERSECT([Letters,Numerals]) as:'intersection2'
```

```
derive type:single value:ARRAYCROSS([Letters,Numerals]) as:'cross2'
```

```
derive type:single value:ARRAYUNIQUE([Letters,Numerals]) as:'unique2'
```

Results:

Column set 1:

Item	ArrayA	ArrayB	concat2	intersection2
Item1	["A", "B", "C"]	["1", "2", "3"]	["A", "B", "C", "1", "2", "3"]	[]
Item2	["A", "B"]	["A", "B", "C"]	["A", "B", "A", "B", "C"]	["A", "B"]
Item3	["D", "E", "F"]	["4", "5", "6"]	["D", "E", "F", "4", "5", "6"]	[]

Column set 2:

Item	cross2	unique2
------	--------	---------

Item1	[["A","1"],["A","2"],["A","3"],["B","1"],["B","2"],["B","3"],["C","1"],["C","2"],["C","3"]]	["A","B","C","1","2","3"]
Item2	[["A","A"],["A","B"],["A","C"],["B","A"],["B","B"],["B","C"]]	["A","B","C"]
Item3	[["D","4"],["D","5"],["D","6"],["E","4"],["E","5"],["E","6"],["F","4"],["F","5"],["F","6"]]	["D","E","F","4","5","6"]