

# Configure Your Access to S3

If per-user access to S3 has been enabled in your Trifacta deployment, you can apply your personal S3 access credentials through the User Profile page. The following properties to define the S3 buckets to use for uploads, job results, and temporary files.

- Per-user access must be enabled by your Trifacta administrator. See *Enable S3 Access*.

## Steps:

1. In the menu bar, click the Settings menu. Then, click your Trifacta username.

2. The User Profile page for your account is displayed:

The screenshot shows a user profile configuration page with the following fields and sections:

- Name:** Steve Olson
- Email:** [Redacted]
- Output Home Directory:** [Redacted]
- AWS Access Key:** [Redacted]
- AWS Secret Key:** [Redacted]
- Default S3 Bucket:** 3fac-testing
- Extra S3 Buckets:** test
- Password:** [Empty]
- Confirm Password:** [Empty]
- Enable all popup helpers
- Buttons:** Cancel, Save

Additional text in the form:

- Below AWS Access Key: "You will need your AWS access key and secret key to access your storage. Contact your Trifacta administrator for more information."
- Below Default S3 Bucket: "Default S3 bucket will contain uploaded files, job results and temporary files."
- Below Extra S3 Buckets: "A comma separated list of additional buckets to import data and store job results."
- Below Password: "empty" with an information icon.

**Figure: User Profile page**

3. The following settings apply to S3 access.

**NOTE:** The values that you should use for these settings should be provided by your S3 administrator. If they have already been specified, do not modify unless you have been provided instructions to do so.

Setting	Description
AWS Access Key	This key defines the account to use to connect to AWS.
AWS Secret	The secret (or password) associated with the key.
S3 Default Bucket	This bucket is used for storage, unless another bucket is explicitly selected. <div style="border: 1px solid #ccc; padding: 5px; margin: 5px 0;"><b>NOTE:</b> Specify the top-level bucket name only. There should not be any backslashes in your entry.</div>
Additional Buckets	You can specify a comma-separated list of additional S3 buckets that are available for storage.

4. Make other changes as needed.
5. To apply the changes, click **Save**.

**NOTE:** After exiting the User Profile page, please refresh the browser page.