

EXAMPLE - Logical Functions

This example demonstrate the AND, OR, and NOT logical functions.

In this example, the dataset contains results from survey data on two questions about customers. The yes/no answers to each question determine if the customer is 1) still active, and 2) interested in a new offering.

Functions:

Item	Description
AND Function	Returns <code>true</code> if both arguments evaluate to <code>true</code> . Equivalent to the <code>&&</code> operator.
OR Function	Returns <code>true</code> if either argument evaluates to <code>true</code> . Equivalent to the <code> </code> operator.
NOT Function	Returns <code>true</code> if the argument evaluates to <code>false</code> , and vice-versa. Equivalent to the <code>!</code> operator.

Source:

Customer	isActive	isInterested
CustA	Y	Y
CustB	Y	N
CustC	N	Y
CustD	N	N

Transformation:

Customers that are both active and interested should receive a phone call:

Transformation Name	New formula
Parameter: Formula type	Single row formula
Parameter: Formula	<code>AND(isActive, isInterested)</code>
Parameter: New column name	'phoneCall'

Customers that are either active or interested should receive an email:

Transformation Name	New formula
Parameter: Formula type	Single row formula
Parameter: Formula	<code>OR(isActive, isInterested)</code>
Parameter: New column name	'sendEmail'

Customers that are neither active or interested should be dropped from consideration for the offering:

Transformation Name	New formula
Parameter: Formula type	Single row formula
Parameter: Formula	<code>AND(NOT(isActive), NOT(isInterested))</code>

Parameter: New column name	'dropCust'
-----------------------------------	------------

A savvy marketer might decide that if a customer receives a phone call, that customer should not be bothered with an email, as well:

Transformation Name	Edit column with formula
Parameter: Columns	sendEmail
Parameter: Formula	IF(phoneCall == "TRUE", FALSE, sendEmail)

Results:

Customer	isActive	isInterested	dropCust	sendEmail	phoneCall
CustA	Y	Y	FALSE	FALSE	TRUE
CustB	Y	N	FALSE	TRUE	FALSE
CustC	N	Y	FALSE	TRUE	FALSE
CustD	N	N	TRUE	FALSE	FALSE