

# ARRAYZIP Function

## Contents:

- *Basic Usage*
- *Syntax and Arguments*
  - *array\_ref1, array\_ref2*
- *Examples*
  - *Example - Simple ARRAYZIP example*
  - *Example - Unnest an array*

---

Combines multiple arrays into a single nested array, with element 1 of array 1 paired with element 2 of array 2 and so on. Arrays are expressed as column names or as array literals.

If the arrays are of different length, then null values are inserted for combinations where one array is missing a corresponding value.

**Wrangle vs. SQL:** This function is part of Wrangle , a proprietary data transformation language. Wrangle is not SQL. For more information, see *Wrangle Language*.

## Basic Usage

### Array literal reference example:

```
arrayzip(["A", "B", "C"], ["1", "2", "3"])
```

**Output:** Returns a nested array combining elements from the two source arrays.

### Column reference example:

```
arrayzip([array1, array2])
```

**Output:** Returns a single nested array pairing the elements of the array in the listed order of the arrays.

## Syntax and Arguments

```
arrayzip(array_ref1, array_ref2)
```

Argument	Required?	Data Type	Description
array_ref1	Y	string or array	Name of first column or first array literal to apply to the function
array_ref2	Y	string or array	Name of second column or second array literal to apply to the function

For more information on syntax standards, see *Language Documentation Syntax Notes*.

### array\_ref1, array\_ref2

Array literal or name of the array column whose elements you want to combine together.

### Usage Notes:

Required?	Data Type	Example Value
Yes	Array literal or column reference	myArray1, myArray2

## Examples

**Tip:** For additional examples, see *Common Tasks*.

### Example - Simple ARRAYZIP example

#### Source:

Item	Letters	Numerals
Item1	["A","B","C"]	["1","2","3"]
Item2	["D","E","F"]	["4","5","6"]
Item3	["G","H","I"]	["7","8","9"]

#### Transformation:

<b>Transformation Name</b>	New formula
<b>Parameter: Formula type</b>	Single row formula
<b>Parameter: Formula</b>	arrayzip([Letters, Numerals])
<b>Parameter: New column name</b>	'LettersAndNumerals'

#### Results:

Item	Letters	Numerals	LettersAndNumerals
Item1	["A","B","C"]	["1","2","3"]	[["A","1"],["B","2"],["C","3"]]
Item2	["D","E","F"]	["4","5","6"]	[["F","4"],["G","5"],["H","6"]]
Item3	["G","H","I"]	["7","8","9"]	[["G","7"],["H","8"],["I","9"]]

### Example - Unnest an array

This example illustrates how to use the flatten and unnest transforms.

#### Source:

You have the following data on student test scores. Scores on individual tests are stored in the `Scores` array, and you need to be able to track each test on a uniquely identifiable row. This example has two goals:

1. One row for each student test
2. Unique identifier for each student-score combination

LastName	FirstName	Scores
Adams	Allen	[81,87,83,79]

Burns	Bonnie	[98,94,92,85]
Cannon	Charles	[88,81,85,78]

**Transformation:**

When the data is imported from CSV format, you must add a header transform and remove the quotes from the `scores` column:

<b>Transformation Name</b>	Rename column with row(s)
<b>Parameter: Option</b>	Use row(s) as column names
<b>Parameter: Type</b>	Use a single row to name columns
<b>Parameter: Row number</b>	1

<b>Transformation Name</b>	Replace text or pattern
<b>Parameter: Column</b>	colScores
<b>Parameter: Find</b>	'\"'
<b>Parameter: Replace with</b>	' '
<b>Parameter: Match all occurrences</b>	true

**Validate test date:** To begin, you might want to check to see if you have the proper number of test scores for each student. You can use the following transform to calculate the difference between the expected number of elements in the `Scores` array (4) and the actual number:

<b>Transformation Name</b>	New formula
<b>Parameter: Formula type</b>	Single row formula
<b>Parameter: Formula</b>	(4 - arraylen(Scores))
<b>Parameter: New column name</b>	'numMissingTests'

When the transform is previewed, you can see in the sample dataset that all tests are included. You might or might not want to include this column in the final dataset, as you might identify missing tests when the recipe is run at scale.

**Unique row identifier:** The `Scores` array must be broken out into individual rows for each test. However, there is no unique identifier for the row to track individual tests. In theory, you could use the combination of `LastName-FirstName-Scores` values to do so, but if a student recorded the same score twice, your dataset has duplicate rows. In the following transform, you create a parallel array called `Tests`, which contains an index array for the number of values in the `Scores` column. Index values start at 0:

<b>Transformation Name</b>	New formula
<b>Parameter: Formula type</b>	Single row formula
<b>Parameter: Formula</b>	range(0,arraylen(Scores))
<b>Parameter: New column name</b>	'Tests'

Also, we will want to create an identifier for the source row using the `sourcerownumber` function:

<b>Transformation Name</b>	New formula
<b>Parameter: Formula type</b>	Single row formula
<b>Parameter: Formula</b>	<code>sourcerownumber()</code>
<b>Parameter: New column name</b>	'orderIndex'

**One row for each student test:** Your data should look like the following:

LastName	FirstName	Scores	Tests	orderIndex
Adams	Allen	[81,87,83,79]	[0,1,2,3]	2
Burns	Bonnie	[98,94,92,85]	[0,1,2,3]	3
Cannon	Charles	[88,81,85,78]	[0,1,2,3]	4

Now, you want to bring together the `Tests` and `Scores` arrays into a single nested array using the `arrayzip` function:

<b>Transformation Name</b>	New formula
<b>Parameter: Formula type</b>	Single row formula
<b>Parameter: Formula</b>	<code>arrayzip([Tests,Scores])</code>

Your dataset has been changed:

LastName	FirstName	Scores	Tests	orderIndex	column1
Adams	Allen	[81,87,83,79]	[0,1,2,3]	2	[[0,81],[1,87],[2,83],[3,79]]
Adams	Bonnie	[98,94,92,85]	[0,1,2,3]	3	[[0,98],[1,94],[2,92],[3,85]]
Cannon	Charles	[88,81,85,78]	[0,1,2,3]	4	[[0,88],[1,81],[2,85],[3,78]]

Use the following to unpack the nested array:

<b>Transformation Name</b>	Expand arrays to rows
<b>Parameter: Column</b>	column1

Each test-score combination is now broken out into a separate row. The nested Test-Score combinations must be broken out into separate columns using the following:

<b>Transformation Name</b>	Unnest Objects into columns
<b>Parameter: Column</b>	column1
<b>Parameter: Paths to elements</b>	'[0]','[1]'

After you delete `column1`, which is no longer needed you should rename the two generated columns:

<b>Transformation Name</b>	Rename columns
----------------------------	----------------

<b>Parameter: Option</b>	Manual rename
<b>Parameter: Column</b>	column_0
<b>Parameter: New column name</b>	'TestNum'

<b>Transformation Name</b>	Rename columns
<b>Parameter: Option</b>	Manual rename
<b>Parameter: Column</b>	column_1
<b>Parameter: New column name</b>	'TestScore'

**Unique row identifier:** You can do one more step to create unique test identifiers, which identify the specific test for each student. The following uses the original row identifier `OrderIndex` as an identifier for the student and the `TestNumber` value to create the `TestId` column value:

<b>Transformation Name</b>	New formula
<b>Parameter: Formula type</b>	Single row formula
<b>Parameter: Formula</b>	$(\text{orderIndex} * 10) + \text{TestNum}$
<b>Parameter: New column name</b>	'TestId'

The above are integer values. To make your identifiers look prettier, you might add the following:

<b>Transformation Name</b>	Merge columns
<b>Parameter: Columns</b>	'TestId00', 'TestId'

**Extending:** You might want to generate some summary statistical information on this dataset. For example, you might be interested in calculating each student's average test score. This step requires figuring out how to properly group the test values. In this case, you cannot group by the `LastName` value, and when executed at scale, there might be collisions between first names when this recipe is run at scale. So, you might need to create a kind of primary key using the following:

<b>Transformation Name</b>	Merge columns
<b>Parameter: Columns</b>	'LastName', 'FirstName'
<b>Parameter: Separator</b>	' - '
<b>Parameter: New column name</b>	'studentId'

You can now use this as a grouping parameter for your calculation:

<b>Transformation Name</b>	New formula
<b>Parameter: Formula type</b>	Single row formula
<b>Parameter: Formula</b>	<code>average(TestScore)</code>
<b>Parameter: Group rows by</b>	<code>studentId</code>

<b>Parameter: New column name</b>	'avg_TestScore'
-----------------------------------	-----------------

**Results:**

After you delete unnecessary columns and move your columns around, the dataset should look like the following:

TestId	LastName	FirstName	TestNum	TestScore	studentId	avg_TestScore
TestId0021	Adams	Allen	0	81	Adams-Allen	82.5
TestId0022	Adams	Allen	1	87	Adams-Allen	82.5
TestId0023	Adams	Allen	2	83	Adams-Allen	82.5
TestId0024	Adams	Allen	3	79	Adams-Allen	82.5
TestId0031	Adams	Bonnie	0	98	Adams-Bonnie	92.25
TestId0032	Adams	Bonnie	1	94	Adams-Bonnie	92.25
TestId0033	Adams	Bonnie	2	92	Adams-Bonnie	92.25
TestId0034	Adams	Bonnie	3	85	Adams-Bonnie	92.25
TestId0041	Cannon	Chris	0	88	Cannon-Chris	83
TestId0042	Cannon	Chris	1	81	Cannon-Chris	83
TestId0043	Cannon	Chris	2	85	Cannon-Chris	83
TestId0044	Cannon	Chris	3	78	Cannon-Chris	83