

EXAMPLE - Rolling Functions 2

This example describes how to use rolling statistical functions.

Functions:

Item	Description
ROLLINGAVERAGE Function	Computes the rolling average of values forward or backward of the current row within the specified column.
ROLLINGMAX Function	Computes the rolling maximum of values forward or backward of the current row within the specified column. Inputs can be Integer, Decimal, or Datetime.
ROLLINGSTDEV Function	Computes the rolling standard deviation of values forward or backward of the current row within the specified column.
ROLLINGVAR Function	Computes the rolling variance of values forward or backward of the current row within the specified column.
ROLLINGSTDEVSAMP Function	Computes the rolling standard deviation of values forward or backward of the current row within the specified column using the sample statistical method.
ROLLINGVARSAAMP Function	Computes the rolling variance of values forward or backward of the current row within the specified column using the sample statistical method.

Also:

Item	Description
MERGE Function	Merges two or more columns of String type to generate output of String type. Optionally, you can insert a delimiter between the merged values.
ROUND Function	Rounds input value to the nearest integer. Input can be an Integer, a Decimal, a column reference, or an expression. Optional second argument can be used to specify the number of digits to which to round.

Source:

In this example, the following data comes from times recorded at regular intervals during a three-lap race around a track. The source data is in cumulative time in seconds (`time_sc`). You can use ROLLING and other windowing functions to break down the data into more meaningful metrics.

lap	quarter	time_sc
1	0	0.000
1	1	19.554
1	2	39.785
1	3	60.021
2	0	80.950
2	1	101.785
2	2	121.005
2	3	141.185
3	0	162.008
3	1	181.887
3	2	200.945
3	3	220.856

Transformation:

Primary key: Since the quarter information repeats every lap, there is no unique identifier for each row. The following steps create this identifier:

Transformation Name	Change column data type
Parameter: Columns	lap,quarter
Parameter: New type	String

Transformation Name	New formula
Parameter: Formula type	Single row formula
Parameter: Formula	MERGE(['l',lap,'q',quarter])
Parameter: New column name	'splitId'

Get split times: Use the following transform to break down the splits for each quarter of the race:

Transformation Name	New formula
Parameter: Formula type	Multiple row formula
Parameter: Formula	ROUND(time_sc - PREV(time_sc, 1), 3)
Parameter: Order rows by	splitId
Parameter: New column name	'split_time_sc'

Compute rolling computations: You can use the following types of computations to provide rolling metrics on the current and three previous splits:

Transformation Name	New formula
Parameter: Formula type	Multiple row formula
Parameter: Formula	ROLLINGAVERAGE(split_time_sc, 3)
Parameter: Order rows by	splitId
Parameter: New column name	'ravg'

Transformation Name	New formula
Parameter: Formula type	Multiple row formula
Parameter: Formula	ROLLINGMAX(split_time_sc, 3)
Parameter: Order rows by	splitId
Parameter: New column name	'rmax'

Transformation Name	New formula
----------------------------	-------------

Parameter: Formula type	Multiple row formula
Parameter: Formula	ROLLINGMIN(split_time_sc, 3)
Parameter: Order rows by	splitId
Parameter: New column name	'rmin'

Transformation Name	New formula
Parameter: Formula type	Multiple row formula
Parameter: Formula	ROUND(ROLLINGSTDEV(split_time_sc, 3), 3)
Parameter: Order rows by	splitId
Parameter: New column name	'rstdev'

Transformation Name	New formula
Parameter: Formula type	Multiple row formula
Parameter: Formula	ROUND(ROLLINGVAR(split_time_sc, 3), 3)
Parameter: Order rows by	splitId
Parameter: New column name	'rvar'

Compute rolling computations using sample method: These metrics compute the rolling STDEV and VAR on the current and three previous splits using the sample method:

Transformation Name	New formula
Parameter: Formula type	Multiple row formula
Parameter: Formula	ROUND(ROLLINGSTDEVSAMP(split_time_sc, 3), 3)
Parameter: Order rows by	splitId
Parameter: New column name	'rstdev_samp'

Transformation Name	New formula
Parameter: Formula type	Multiple row formula
Parameter: Formula	ROUND(ROLLINGVARSAAMP(split_time_sc, 3), 3)
Parameter: Order rows by	splitId
Parameter: New column name	'rvar_samp'

Results:

When the above transforms have been completed, the results look like the following:

lap	quarter	splitId	time_sc	split_time_sc	rvar_samp	rstdev_samp	rvar	rstdev	rmin	rmax	ravg
1	0	l1q0	0								
1	1	l1q1	20.096	20.096			0	0	20.096	20.096	20.096
1	2	l1q2	40.53	20.434	0.229	0.479	0.029	0.169	20.096	20.434	20.265
1	3	l1q3	61.031	20.501	0.154	0.392	0.031	0.177	20.096	20.501	20.344
2	0	l2q0	81.087	20.056	0.315	0.561	0.039	0.198	20.056	20.501	20.272
2	1	l2q1	101.383	20.296	0.142	0.376	0.029	0.17	20.056	20.501	20.322
2	2	l2q2	122.092	20.709	0.617	0.786	0.059	0.242	20.056	20.709	20.39
2	3	l2q3	141.886	19.794	0.621	0.788	0.113	0.337	19.794	20.709	20.214
3	0	l3q0	162.581	20.695	0.579	0.761	0.139	0.373	19.794	20.709	20.373
3	1	l3q1	183.018	20.437	0.443	0.666	0.138	0.371	19.794	20.709	20.409
3	2	l3q2	203.493	20.475	0.537	0.733	0.113	0.336	19.794	20.695	20.35
3	3	l3q3	222.893	19.4	0.520	0.721	0.252	0.502	19.4	20.695	20.252

You can reduce the number of steps by applying a window transform such as the following:

Transformation Name	Window
Parameter: Formula1	lap
Parameter: Formula2	rollingaverage(split_time_sc, 0, 3)
Parameter: Formula3	rollingmax(split_time_sc, 0, 3)
Parameter: Formula4	rollingmin(split_time_sc, 0, 3)
Parameter: Formula5	round(rollingstdev(split_time_sc, 0, 3), 3)
Parameter: Formula6	round(rollingvar(split_time_sc, 0, 3), 3)
Parameter: Formula7	round(rollingstdevsamp(split_time_sc, 0, 3), 3)
Parameter: Formula8	round(rollingvarsamp(split_time_sc, 0, 3), 3)
Parameter: Group by	lap
Parameter: Order by	lap

However, you must rename all of the generated windowX columns.