

EXAMPLE - ARRAYINDEXOF and ARRAYRIGHTINDEXOF Functions

This example illustrates how to convert the index value of an array for a specified value searching from left to right and right to left by using ARRAYINDEXOF and ARRAYRIGHTINDEXOF functions.

Functions:

Item	Description
ARRAYINDEXOF Function	Computes the index at which a specified element is first found within an array. Indexing is left to right.
ARRAYRIGHTINDEXOF Function	Computes the index at which a specified element is first found within an array, when searching right to left. Returned value is based on left-to-right indexing.

Source:

The following set of arrays contain results, in order, of a series of races. From this list, the goal is to generate the score for each racer according to the following scoring matrix.

Place	Points
1st	30
2nd	20
3rd	10
Last	-10
Did Not Finish (DNF)	-20

Results:

RaceId	RaceResults
1	["racer3","racer5","racer2","racer1","racer6"]
2	["racer6","racer4","racer2","racer1","racer3","racer5"]
3	["racer4","racer3","racer5","racer2","racer6","racer1"]
4	["racer1","racer2","racer3","racer5"]
5	["racer5","racer2","racer4","racer6","racer3"]

Transformation:

Note that the number of racers varies with each race, so determining the position of the last racer depends on the number in the event. The number of racers can be captured using the following:

Transformation Name	New formula
Parameter: Formula type	Single row formula
Parameter: Formula	ARRAYLEN(RaceResults)
Parameter: New column name	'countRacers'

Create columns containing the index values for each racer. Below is the example for `racer1`:

Transformation Name	New formula
Parameter: Formula type	Single row formula
Parameter: Formula	ARRAYINDEXOF(RaceResults, 'racer1')
Parameter: New column name	'arrL-IndexRacer1'

Transformation Name	New formula
Parameter: Formula type	Single row formula
Parameter: Formula	ARRAYRIGHTINDEXOF(RaceResults, 'racer1')
Parameter: New column name	'arrR-IndexRacer1'

You can then compare the values in the two columns to determine if they are the same.

NOTE: If ARRAYINDEXOF and ARRAYRIGHTINDEXOF do not return the same value for the same inputs, then the value is not unique in the array.

Since the points awarded for 1st, 2nd, and 3rd place follow a consistent pattern, you can use the following single statement to compute points for podium finishes for `racer1`: computing based on the value stored for the left index value:

Transformation Name	Conditional column
Parameter: Condition type	if...then...else
Parameter: If	{arrayL-IndexRacer1} < 3
Parameter: Then	(3 - {arrayL-IndexRacer1}) * 10
Parameter: Else	0
Parameter: New column name	'ptsRacer1'

The following transform then edits the `ptsRacer1` to evaluate for the Did Not Finish (DNF) and last place conditions:

Transformation Name	Edit column with formula
Parameter: Columns	ptsRacer1
Parameter: Formula	IF(ISNULL({arrayL-IndexRacer1}), -20, ptsRacer1)

You can use the following to determine if the specified racer was last in the event:

Transformation Name	Edit column with formula
Parameter: Columns	ptsRacer1

Parameter: Formula	IF(arrR-IndexRacer1 == countRacers, -10, ptsRacer1)
---------------------------	---

Results:

RaceId	RaceResults	countRacers	arrR-IndexRacer1	arrL-IndexRacer1	ptsRacer1
1	["racer3","racer5","racer2","racer1","racer6"]	5	3	3	0
2	["racer6","racer4","racer2","racer1","racer3","racer5"]	6	3	3	0
3	["racer4","racer3","racer5","racer2","racer6","racer1"]	6	5	5	-10
4	["racer1","racer2","racer3","racer5"]	4	0	0	20
5	["racer5","racer2","racer4","racer6","racer3"]	5	null	null	-20