

# System Ports

## Contents:

- *Trifacta® Node Ports*
  - *Internal Service Ports*
  - *Database Ports*
  - *Client Browser Ports*
- *Hadoop Ports*
  - *Firewall Ports for Hadoop*
- *EMR Ports*


---

## Trifacta® Node Ports

### Internal Service Ports

Component	Port
Nginx Proxy	3005
Trifacta application	3006
Java UDF Service	3008
Spark Job Service	4007
Supervisor	4421
ML-Service	5000
Data Service	41912
Batch Job Runner	41920
VFS Service	41913
Time-based trigger service port	43033
Scheduling service port	43143

### Database Ports

Component	Port
Postgres (default)	5432
	<div style="border: 1px solid #ccc; padding: 10px;"><p> <b>NOTE:</b> By default, PostgreSQL and the platform use port 5432 for communication. If that port is not available at install/upgrade time, the next available port is used, which is typically 5433. This change may occur if a previous version of PostgreSQL is on the same server. When a non-default port number is used, the platform must be configured to use it. For more information, see <i>Change Database Port</i>.</p></div>
MySQL	3306

### Client Browser Ports

By default, the web client uses port 3005.

**NOTE:** Any client firewall software must be configured to enable access on this port.

This port can be changed. For more information, see *Change Listening Port*.

## Hadoop Ports

If Trifacta Self-Managed Enterprise Edition is integrated with a Hadoop cluster, the Edge Node must have access to the following Hadoop components. Their default ports are listed below:

**NOTE:** These ports vary between installations. Please verify your environment's ports.

Hadoop Component	Default Port
HDFS Namenode	Cloudera/HDP: 8020
HDFS Datanode	50020
<b>NOTE:</b> The Trifacta node must be able to access this port on all HDFS datanodes of the cluster.	
HttpFS	14000
WebHDFS	Cloudera/HDP: 50070
YARN Resourcemanager	Cloudera: 8032 HDP: 8050
JobTracker	Cloudera/HDP: 8021
<b>NOTE:</b> As of Release 2.7, Map Reduce 1 has been deprecated. For more information, please see <i>End of Life and Deprecated Features</i> .	
HiveServer2 (optional)	TCP connection: 10000  HTTP connection: 10001
Hive Metastore (optional)	9083

## Firewall Ports for Hadoop

If the Trifacta node is on a different network from the Hadoop cluster, please verify that these additional ports are opened on the firewall.

Hadoop Component	Default Port
YARN Resourcemanager Scheduler	8030
YARN Resourcemanager Admin	8033
YARN Resourcemanager WebApp	8088
YARN Nodemanager WebApp	8042
YARN Timeline Service	8188

MapReduce JobHistory Server	10020
HDFS DataNode	50010

For additional details, please refer to the documentation provided with your Hadoop distribution.

## EMR Ports

If you are integrating with an EMR cluster, please verify that the following nodes and ports are available to the Trifacta node.

EMR Component	Port
EMR master node	8088