

Add Schedule Dialog

To add a schedule to your flow, click the drop-down menu in the Flow View page, and select **Schedule**.

NOTE: For a dataset with parameters, scheduled times are used when resolving date range parameters.

NOTE: Do not schedule executions through Flow View in a Prod instance when Deployment Manager is enabled.

- Schedules defined in Flow View are applied to Active and Non-Active releases in Production environments.
- If the scheduled release is deactivated, the schedule still exists, and the jobs are executed on an flow that is now out-of-date.
- For more information, see *Overview of Deployment Manager*.

Add Schedule ✕

Scheduling Options

Timezone

America/Los_Angeles ▼

Frequency Add

Weekly ▼

on

Sunday ▼

at

12:00

AM

▼

Variables

Set variable values for this schedule's executions

< > regionNum

01

CancelSave

Figure: Add Schedule dialog

Scheduling Options

- **Timezone:** Select the timezone to apply to the schedule.
 - To use UTC time zone, select UTC in the drop-down. For more information, see *Supported Time Zone Values*.

- **Frequency:**
 - **Hourly, Daily, Weekly, Monthly:** Run the schedule at the specified moment for the interval.

Tip: For drop-downs showing days of the week or days of the month, you can click multiple values to select them.

- **cron:** Set the schedule according to cron syntax.
 - Time zone settings set in the drop-down are used with the cron schedule.
 - For more information, see *cron Schedule Syntax Reference*.

To add another trigger for the flow's schedule, click **Add**.

To create the schedule, click **Save**.

Variables

If your flow contains one or more variable parameters, you can apply overrides to any variables. When the scheduled job is executed, the variable value is applied to job at runtime.

For each listed variable, you can modify its value.

For more information, see *Overview of Parameterization*.