

API ImportedDatasets Get List v3



As of Release 6.4, the v3 APIs are End of Life (EOL). Before using this release or a later one, you should migrate to using the latest available API version. For more information, see *API Version Support Matrix*. Latest version of this endpoint: *API ImportedDatasets Get List v4*.

Contents:

- *Required Permissions*
- *Request*
- *Response*
- *Reference*

Get the list of accessible imported datasets for the authenticated user.

Version: v3

Required Permissions



NOTE: Each request to the Designer Cloud powered by Trifacta® platform must include authentication credentials. See <https://api.trifacta.com/ee/6.0/index.html#section/Authentication>.

Request

Request Type: GET

Endpoint:

```
/v3/importedDatasets
```

Endpoint with embedded reference:

```
/v3/importedDatasets/?embed=connection
```

For more information, see *API ImportedDatasets Get v3*.

Endpoint with paged retrieval:

By default, this endpoint returns results in sets of 25.

You can apply query parameters to change the size of the default set and to page through result sets. The following example queries for results 100 at a time. In this case, the query asks for results 3-102:

```
/v3/importedDatasets?embed=connection&limit=100&offset=2
```

If the count of retrieved results is less than the limit, you have reached the end of the results.

Request Body:

Empty.

Response

Response Status Code - Success: 200 - OK

Response Body Example:

In the following example, you can see the data for three separate connections:

- JDBC with custom SQL query
- JDBC
- File-based (uploaded)

```
{
  "data": [
    {
      "id": 15,
      "size": "-1",
      "path": null,
      "isSharedWithAll": false,
      "type": "jdbc",
      "bucket": null,
      "isSchematized": true,
      "createdAt": "2017-02-03T07:34:40.727Z",
      "updatedAt": "2017-02-03T07:34:43.910Z",
      "createdBy": 1,
      "updatedBy": 1,
      "name": "all_objects",
      "description": null,
      "connection": {
        "id": 2
      },
      "parsingRecipe": {
        "id": 37
      },
      "relationalSource": {
        "relationalPath": [
          "adam_test",
          "sys"
        ],
        "columns": [
          "name",
          "object_id",
          "principal_id",
          "schema_id",
          "parent_object_id",
          "type",
          "type_desc",
          "create_date",
          "modify_date",
          "is_ms_shipped",
          "is_published",
          "is_schema_published"
        ],
        "filter": null,
        "raw": null,
        "id": 1,
        "tableName": "all_objects",
        "createdAt": "2017-02-03T07:34:40.760Z",
        "updatedAt": "2017-02-03T07:34:40.760Z",
        "datasourceId": 15
      }
    },
    {
      "id": 14,
```

```

    "size": "2049672",
    "path": "/trifacta/uploads/1/1a0d9144-a0bc-44a2-ae93-fc3f53613930/base_type_map_array_record_large.
avro",
    "isSharedWithAll": false,
    "type": "hdfs",
    "bucket": null,
    "isSchematized": true,
    "createdAt": "2017-02-03T05:16:49.934Z",
    "updatedAt": "2017-02-03T05:16:51.200Z",
    "createdBy": 1,
    "updatedBy": 1,
    "name": "base_type_map_array_record_large.avro",
    "description": null,
    "parsingRecipe": {
      "id": 35
    }
  },
  {
    "id": 13,
    "size": "711558",
    "path": "/trifacta/queryResults/administrator/hello_world/original_2_1_random_rows.json",
    "isSharedWithAll": false,
    "type": "s3",
    "bucket": "3fac-jlong-test",
    "isSchematized": false,
    "createdAt": "2017-02-03T05:15:07.398Z",
    "updatedAt": "2017-02-03T05:15:11.724Z",
    "createdBy": 1,
    "updatedBy": 1,
    "name": "original_2_1_random_rows.json",
    "description": null,
    "parsingRecipe": {
      "id": 33
    }
  }
]
}

```

Reference

For more information on the properties of an imported dataset, see *API ImportedDatasets Get v3*.