

API WrangledDatasets Get List v3

Contents:

- *Required Permissions*
- *Request*
- *Response*
- *Reference*

! In Release 4.2, the wrangled dataset object was removed from the application interface. This API endpoint remains, as the internal platform objects have not been modified. For more information, see *Changes to the Object Model*.

Get the list of accessible wrangled datasets for the authenticated user.

Version: v3

Required Permissions

i **NOTE:** Each request to the Designer Cloud powered by Trifacta® platform must include authentication credentials. See <https://api.trifacta.com/ee/5.1/index.html#section/Authentication>.

Request

Request Type: GET

Endpoint:

```
/v3/wrangledDatasets
```

Endpoint with embedded flow:

```
/v3/wrangledDatasets?embed=flow
```

For more information, see *API WrangledDatasets Get v3*.

Endpoint with paged retrieval:

By default, this endpoint returns results in sets of 25.

You can apply query parameters to change the size of the default set and to page through result sets. The following example queries for results 100 at a time. In this case, the query asks for results 3-102:

```
/v3/wrangledDatasets?embed=flow&limit=100&offset=2
```

If the count of retrieved results is less than the limit, you have reached the end of the results.

Request Body:

Empty.

Response

Response Status Code - Success: 200 - OK

Response Body Example:

```
{
  "data": [
    {
      "id": 35,
      "wrangled": true,
      "createdAt": "2017-02-03T05:16:55.844Z",
      "updatedAt": "2017-02-03T05:16:56.998Z",
      "createdBy": 1,
      "updatedBy": 1,
      "name": "base_type_map_array_record_large",
      "description": null,
      "activeSample": {
        "id": 12
      },
      "flow": {
        "id": 12
      },
      "script": {
        "id": 36
      }
    },
    {
      "id": 33,
      "wrangled": true,
      "createdAt": "2017-02-03T05:15:16.145Z",
      "updatedAt": "2017-02-03T05:15:18.859Z",
      "createdBy": 1,
      "updatedBy": 1,
      "name": "original_2_1_random_rows",
      "description": null,
      "activeSample": {
        "id": 10
      },
      "flow": {
        "id": 11
      },
      "script": {
        "id": 34
      }
    },
    {
      "id": 31,
      "wrangled": true,
      "createdAt": "2017-02-03T01:53:41.284Z",
      "updatedAt": "2017-02-03T01:53:41.284Z",
      "createdBy": 1,
      "updatedBy": 1,
      "name": "cdr.txt",
      "description": null,
      "flow": {
        "id": 10
      },
      "script": {
        "id": 32
      }
    },
    {
      "id": 30,
      "wrangled": true,

```

```
"createdAt": "2017-02-03T01:53:40.930Z",
"updatedAt": "2017-02-03T01:53:40.930Z",
"createdBy": 1,
"updatedBy": 1,
"name": "customer_above_512k",
"description": null,
"flow": {
  "id": 10
},
"script": {
  "id": 31
}
]
}
```

Reference

For more information on the properties of a wrangled dataset, see *API ImportedDatasets Get v3*.

For more information on the embedded flow properties, see *API Flows Get v3*.