

Transformation by Example Page

Contents:

- *Transform Builder*
 - *Grid View*
 - *Keyboard shortcuts*
 - *Pattern View*
 - *Toolbar*
-

In the Transform by Example page, you can build new columns of data by specifying values to map from the selected source column. For the column to transform, select **Create column by examples** from the column menu.

NOTE: Transformations by example are developed using the current sample. When the finished transformation is applied across the entire dataset, some source values may not be matched by the patterns you specified using the current sample.

Tip: Transformation by example works best for text-based inputs. For non-text inputs, you can convert the column data type to String.

To transform by example, you can use either of the following:

- **Grid View:** Displays Source and Preview column values as they appear in the sample in the data grid.
- **Pattern View:** Displays the Source and Preview values in groups of similar values based on pattern matching by Designer Cloud.

For more information on these types of transformations, see *Overview of TBE*.

Transform Builder

In the Transform Builder panel on the right, you can review and change the Source and Preview columns to transform.

Tip: To transform from a different source column, select a new column from the Example column drop-down. This step clears all examples from the transformation you are building. Some columns may not be available for selection. To use such a column, change its type to String first.

Grid View

In grid view, the Source values for each row in the sample are listed next to an empty Preview column. You can create mappings by selecting a cell in the Preview column and manually entering a value.

The screenshot shows the 'Create column from examples' interface in Designer Cloud. It features a grid with two columns: 'Source' and 'Preview'. The 'Source' column contains 22 rows of phone numbers, including some with parentheses and dashes. The 'Preview' column shows the same phone numbers with a '_clean' suffix. The interface also includes a search bar, a 'Run Job' button, and a 'Full Data' button. The 'New column name' field is set to 'Phone_Number_clean'.

| Source | Preview |
|----------------|--------------------|
| Phone Number | Phone_Number_clean |
| 510-221-2244 | 510 221 2244 |
| 510-221-2245 | 510 221 2245 |
| 510-221-2246 | 510 221 2246 |
| 510-221-2247 | 510 221 2247 |
| 510-221-2248 | 510 221 2248 |
| 510-221-2249 | 510 221 2249 |
| 510-221-2250 | 510 221 2250 |
| 510-221-2251 | 510 221 2251 |
| 510-221-2252 | 510 221 2252 |
| 510-221-2253 | 510 221 2253 |
| 510-221-2254 | 510 221 2254 |
| (510) 434 4404 | 510 434 4404 |
| (510) 434 4405 | 510 434 4405 |
| (510) 434 4406 | 510 434 4406 |
| (510) 434 4407 | 510 434 4407 |
| (510) 434 4408 | 510 434 4408 |
| (510) 434 4409 | 510 434 4409 |
| (510) 434 4410 | 510 434 4410 |
| (510) 434 4411 | 510 434 4411 |
| (510) 434 4412 | 510 434 4412 |
| (510) 434 4413 | 510 434 4413 |
| (510) 434 4414 | 510 434 4414 |

Figure: Transformation by Example - Grid View

After you enter a value, Designer Cloud attempts to match other values from the Source using the same pattern to generate additional values in the Preview column.

- Values that you manually enter are listed in dark text.
- Values that are inferred by the product are in lighter text.
- Null values indicate that no pattern has been identified to match the value.

Tip: Values that have been inferred can be replaced by manual entries for further refinement.

For more information on how to use, see *Create Column by Example*.

Keyboard shortcuts

- Use the arrow keys to navigate up and down the rows in the Preview column.
- CTRL + up arrow or CTRL + down arrow to jump to the first or last row of the sample
 - In Pattern View, the above shortcuts navigate between groups of values.
- ESC cancels your current edit.
- RETURN submits your current entry as a new example.

Tip: You can copy and paste values from the clipboard into the Preview column.

Pattern View

In Pattern view, Designer Cloud performs some preliminary pattern detection to group Source values together. Transformations are processed using Patterns .

DATASETS - TBE FLOW > Datasets - TBE Full Data Run Job

| Source | Preview |
|---------------------------------|--------------------|
| Phone Number | Phone_Number_clean |
| Pattern 1 1 of 1 unique value | |
| 5104289900 | 510 428 9900 |
| Pattern 2 5 of 25 unique values | |
| (510) 434 4404 | 510 434 4404 |
| (510) 434 4405 | 510 434 4405 |
| (510) 434 4406 | 510 434 4406 |
| (510) 434 4407 | 510 434 4407 |
| (510) 434 4408 | 510 434 4408 |
| Pattern 3 5 of 23 unique values | |
| 1-510-122-3300 | 510 122 3300 |
| 1-510-122-3301 | 510 122 3301 |
| 1-510-122-3302 | 510 122 3302 |
| 1-510-122-3303 | 510 122 3303 |
| 1-510-122-3304 | 510 122 3304 |
| Pattern 4 5 of 11 unique values | |
| 510-221-2244 | 510 221 2244 |
| 510-221-2245 | 510 221 2245 |
| 510-221-2246 | 510 221 2246 |
| 510-221-2247 | 510 221 2247 |
| --- | --- |

195 rows 60 unique source values 4 patterns

Create column from examples

Create a new column by providing example values in the grid.

Column required

Phone Number v

New column name

Phone_Number_clean

Cancel Add to Recipe

Figure: Transformation by Example - Pattern View

- This view displays a maximum of five example values per pattern group.
- **Other group:** Values that do not map to any identifiable pattern are placed in a value group labeled, Other.
- For more information on patterns, see *Text Matching*.

Toolbar



Figure: Transformation by Example toolbar

- **Grid View:** See previous.
- **Pattern View:** See previous.
- **Undo:** Undo the last change you made to the Preview values.
- **Redo:** Redo the most recently undo change you made to the Preview values.
- **Trash:** Remove all example values from the Preview column and start over.