

Troubleshooting Relational Connections

Contents:

- *Problem - Unable to access customer encryption key*
 - *Solution*
 - *Problem - Retrieving sample data for large relational tables is very slow*
 - *Solution*
 - *Related articles*
-

Problem - Unable to access customer encryption key

When trying to create, edit, or test a relational connection, you may receive the following error message:

```
400 - Encryption Key Error. Please Contact Administrator:  
Unable to access customer encryption key.
```

You are unable to access the relational source.

Solution

The encryption keyfile is missing from the Trifacta® deployment, or the keyfile has been moved without updating the platform of the new location.

You must create and deploy this keyfile, which is required for ensuring that encrypted usernames and passwords are used in relational connections.

NOTE: This keyfile must be created and deployed before any relational connections are created. Deployment requires access to the file system on the Trifacta node.

After you have deployed the keyfile, you must configure the platform to point to its location. A platform restart is not required.

For more information, see *Enable Relational Connections*.

Problem - Retrieving sample data for large relational tables is very slow

In some cases, you may experience slow performance in reading from database tables, or previews of large imported datasets are timing out.

Solution

In these cases, you can experiment with the number of records that are imported per database read. By default, this value is 25000.

To improve performance, you can modify the following setting.

You can apply this change through the *Admin Settings Page* (recommended) or

```
trifacta-conf.json
```

. For more information, see *Platform Configuration Methods*.

```
"data-service.sqlOptions.limitedReadStreamRecords": 25000,
```

To improve performance, you can try lowering this limit incrementally. Avoid raising this limit over 100000, which can overwhelm the browser.

Related articles

- *[Install Databases on Amazon RDS](#)*
- *[Create Dataset with SQL](#)*
- *[Enable Relational Connections](#)*
- *[Change Database Passwords for MySQL](#)*
- *[Change Database Passwords for PostgreSQL](#)*