

Deployment Manager Page

Contents:

- *Access*
- *Deployment Hierarchy*
- *Deployments View*
- *Releases View*
- *Flows View*

Through the Deployment Manager page, you interact with flows that you have imported into your Production instance. Through this interface, you can activate Production versions of your flows or rollback to previous versions as needed.

NOTE: The Deployment Manager is available only in a Production environment, which is a special instance of the Trifacta® platform designed to support production use of your flows. For more information, see *Overview of Deployment Manager*.

Access

A Production environment can be accessed in either of the following ways:

- You are given access to a separate instance of the Trifacta platform configured for Production use only.
- On any instance, the Deployment role is added to your user account by a Trifacta administrator.

For more information, see *Configure Deployment Manager*.

Deployment Hierarchy

In a Production environment, a **deployment** is version-managed flow and all of its dependencies, including other dependent flows. Through the Deployment Manager, an individual deployment is structured in the following hierarchy:

Hierarchy Level	Object	Description
1	deployment	When you open the Deployment Manager, you can review all of the deployments that have been created in the environment. A deployment is container for releases.
2	release	When you select a deployment, you can explore its releases. A release is an individual instance of an imported flow and its dependencies (an import package). Each time that the import package is re-imported into the Production instance, a new release is created and made the active release for the deployment. You can activate previous releases as needed through the context menus in Deployment Manager.
3	flow or flows	Within a release, you can explore the flows that were included in the import package for the release: <ul style="list-style-type: none">• The primary flow is the one that is executed when:<ul style="list-style-type: none">• Its release is the active one for the deployment• The job for the deployment is executed• Any secondary flows are the flows on which the primary flow depends for data.<ul style="list-style-type: none">• During export from the source instance, all objects in secondary flows are included in the package. There may be objects in a secondary flow that are unused in the Production instance.

Deployments View

When you open the Deployment Manager, you can explore all of the deployments in the Production instance.



Name	Releases	Last Updated By	Last Updated At
Deployment 02	0 Releases	SteveO	2019-03-15 10:36:57
Deployment 01	2 Releases	SteveO	2019-03-15 10:27:54


Figure: Deployment Manager

To create a new deployment, click **Create**.

1. Enter a name for the deployment, and click **Create**.
2. To create a new release, click the created deployment. See Releases View below.


Actions:

- **Search:** Enter values in the search textbox to search deployment names. Matching occurs in real-time.
- **Edit name:** You can change the name of your deployment as needed.
- **Delete:** Select this option to remove the deployment, all of its releases, and all of the flows within each release.

 **You cannot undo deleting a deployment. Any results generated from jobs run for the deployment are not removed from the output location and are still accessible through the Jobs page of the Production instance.**

Releases View

Through Releases view, you can import new packages to create new releases and activate them, roll back to previous releases, and remove releases that are no longer in use.



Release	Package ID	Notes	Created At	Updated At	
3	0fec54a0	USDA Farmers Market	2019-03-15 10:27:54	2019-03-15 10:27:54	Active
1	0fec54a0	USDA Farmers Market	2019-03-15 10:21:20	2019-03-15 10:27:28	

Figure: Releases View

To create a new release, click **Import Package**.

i NOTE: Before you import a package, you must apply any import mapping rules to the deployment. These rules map values and objects in the package to corresponding values in the new instance. For more information, see *Define Import Mapping Rules*.

1. Navigate your local environment to select the ZIP file containing the flow and its dependencies from the source instance.
2. Click **Import**.
3. The release is added to Releases view.

For more information on importing, see *Import Flow*.

Actions:

Action	Description
Search	Enter values in the search textbox to search package identifiers. Matching occurs in real-time.
Activate	<p>Make the selected release the active one for the deployment. When jobs are executed at the deployment level, the primary flow for the active release is executed.</p> <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;"> <p>i NOTE: Running a package containing more than 5 concurrent jobs is not supported.</p> </div>
Export	Export the release for use in another instance of the platform. See <i>Export Flow</i> .
Delete	<p>Delete the release from the Production instance.</p> <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;"> <p>i NOTE: If the release was imported from a Dev instance on the same platform, the Dev instance of the release is not removed.</p> </div> <div style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;"> <p>i NOTE: Deletion of a release does not remove any results generated from it. Those results are still accessible through the Jobs page.</p> </div>

Flows View

When you open a release, you can review the flows contained in it. You can explore the flow or flows that were included in the import package for the selected release.



Figure: Flows View

Actions:

- **Search:** Enter values in the search textbox to search flow names. Matching occurs in real-time.

- Click a flow name to explore the flow in Flow View.

i **NOTE:** Avoid making changes to a flow in a Production instance. You can run ad-hoc jobs, but you should avoid making changes to the objects or their structure through Flow View in Production instances. Scheduling should be done through the command line.

For more information, see *Flow View Page*.